


CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: NOV 09, 2023

SAMPLE: CUBOX (OTHER) // CLIENT: ARTRIX // BATCH: PASS
EMPTY CARTS



MATRIX: OTHER
CATEGORY: OTHER
SAMPLE ID: BCL-231107-003
COLLECTED ON: NOV 07, 2023
RECEIVED ON: NOV 07, 2023
SAMPLE SIZE: 5 UNITS



SAMPLE WAS TESTED AS RECEIVED. THE RESULTS RELATE ONLY TO THE ITEMS TESTED. ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. ALL DECISION RULES ARE ESTABLISHED BY THE DCC.

RESULTS CERTIFIED BY: DZOANA KLISARA, B.SC.
LABORATORY DIRECTOR, BELCOSTA LABS
NOV 09, 2023

Dzoana Klisara

BCL-020: HEAVY METAL TESTING BY ICP-MS // NOV 08, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	1.5 µg/g	ND	0.001/0.05	PASS
CADMIUM	0.5 µg/g	ND	0.0002/0.05	PASS
LEAD	0.5 µg/g	ND	0.0003/0.05	PASS
MERCURY	3 µg/g	ND	0.0001/0.01	PASS

ACCREDITATIONS



CERT NO. 4876.01

A2LA ACCREDITED

BCL-020: HEAVY METAL TESTING BY ICP-MS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.